



Faithful Houses
בתים נאמנים

Contact info:

Oliver Cohen English, French #052-7991148


David Chetrit עברית/Hebrew #050-2626268



Faithfulhouses@gmail.com

Faithfulhouses.site



Main material	Galvanized steel structure with sandwich panel wall and doors, windows, etc.
Option size	20ft,40ft
Color	Customized according to customers
Optional accessories	Furniture, hygiene, kitchen, air conditioning, residential appliances, offices, dormitories, kitchens, bathrooms, showers, steel roofs, assembly panels, decorative materials, etc.
window	Aluminium alloy sliding window(white)
Door	Optional doors
Roof	3-4 mm hot-dip galvanized steel construction with 4 Angle castings and (1) Galvanized steel roof covering; (2) 50mm-70mm epssandwich board Or PU sandwich board; (3) 50mm-70mm eps sandwich board or PU sandwich board;
Floor	Fireproof panel 15mm(yellow)+PVC grain board
Bathroom	Shower,Toilet,Wash basin, Water supply and sewerage
Steel structure	2.2mm galvanized steel structure with 4 corner casts and (1)18mm fiber cement board;16mm reinforced MGO board (2)1.6mm PVCflooring (3)50mm eps sandwich panel (4)Galvanized steel base plate.
Advantage	(1) Fast installation: 2 hours/set, save labor cost; (2) Anti-rust: all material use hot glavanized steel; (3) Waterproof structural waterproof design (4) Fireproof:Fire rating A grade (5) Wind-resistant(11 level) and anti-seismic(9 grade)
electricity	3C/CE/CL/SAA standard, with distribution box, lights, switches, sockets, etc.
column	3mm hot-dip galvanized steel structure





Lamp switch
灯 开关

socket
插座

AC socket
空调 插座

lamp
防水尘灯





Glossy style




Matt style



D1



D2





E1



E2



E3



E4




E5



E6





Composite Wall Polystyrene Eps Building Panels

EPS Sandwich Panel

EPS (Polystyrene) sandwich wall polystyrene panels are composed of 3 layers, the external and internal is two dyed Galvanized or Aluminum corrugated plates, and core Polystyrene (EPS) rigid foam.